

**SUSTAINABLE APPROACHES FOR POLYPROPYLENE RECYCLING: CHALLENGES AND
FUTURE PERSPECTIVES**

<https://doi.org/10.5281/zenodo.15098029>

*Institute of Materials Science, Academy of Sciences of the Republic of Uzbekistan,
Tashkent, 100095 Uzbekistan*

F.F.Abdurakhimov, B.M. Omonov

Email: farkhodbek.abdurakhimov1992@gmail.com, Bakhtiyor.omonov@gmail.com

<https://orcid.org/0009-0006-4481-514X>,

<https://orcid.org/0009-0005-2251-4242>

Abstract: *This dissertation addresses the critical challenge of low recycling rates and inefficient processing methods associated with polypropylene, a widely used thermoplastic prevalent in healthcare packaging. Through a comprehensive analysis that incorporates quantitative data on recycling outcomes, qualitative assessments of stakeholder perspectives, and case studies from existing recycling facilities, the research identifies significant barriers to effective polypropylene recycling. Key findings indicate that current recycling practices are hindered by technological limitations, economic constraints, and inadequate regulatory support, which collectively contribute to suboptimal recycling rates. Moreover, the study proposes innovative sustainable approaches, including enhanced sorting technologies and collaborative stakeholder frameworks, aimed at improving recycling efficiency. The implications of these findings are particularly relevant to the healthcare sector, where the reliance on single-use polypropylene products exacerbates environmental concerns and economic inefficiencies. By highlighting the necessity for systemic changes in recycling methodologies, this research not only contributes to the literature on sustainable waste management but also sets an agenda for future research focused on environmental sustainability in healthcare. The potential impact of these strategies extends beyond environmental benefits, suggesting that improved recycling practices could lead to cost savings and enhance the reputation of healthcare institutions committed to sustainability initiatives. Consequently, this study provides a foundational framework for policymakers and stakeholders to drive advancements in polypropylene recycling and promote a circular economy within the healthcare industry and beyond.*

I. INTRODUCTION

The growing prevalence of polypropylene—a versatile thermoplastic used extensively in various applications such as packaging, automotive parts, and medical devices—has underscored the urgent need for sustainable waste management practices. Despite its utility, polypropylene contributes significantly to global plastic pollution, especially when considering that a large percentage of plastic waste is not properly recycled, leading to

serious environmental implications, including soil and marine degradation (Simpa P et al.), (S Stephen et al.), (N/A). This rise in plastic waste is compounded by pervasive consumer habits and inadequate recycling technologies that limit the efficiency and effectiveness of existing recycling practices (S Stephen et al.), (Afxonidis G et al., p. 4944-4945). Thus, the primary research problem addressed in this dissertation is the identification of key challenges facing polypropylene recycling efforts and the exploration of innovative sustainable approaches to mitigate these challenges. This research aims to elucidate the barriers hindering effective recycling methods, including technological limitations, economic factors, and regulatory shortcomings that contribute to low recycling rates (Alta RYP et al.), (M Duijvestein et al., p. 394-395). Moreover, the objectives encompass the assessment of current recycling practices and the investigation of alternative approaches that employ advanced materials and technologies to enhance polypropylene recycling processes (D Summa et al.), (Almukhtar A et al., p. 7245-7267). At the crossroads of environmental sustainability and technological innovation, this research holds significant academic and practical importance. By elucidating the complexities surrounding polypropylene recycling, the study seeks to inform policymakers and industry stakeholders about sustainable practices that could be adopted to amend existing frameworks in waste management (Durak H, p. 2092-2092), (Rahman MZ et al., p. 1296-1296). Ultimately, the findings of this dissertation will contribute to the broader discourse on sustainable materials management, promoting practices that not only reduce environmental footprints but also align with global sustainability goals (Gericke M et al., p. 121633-121633), (Zanatta H et al.). For instance, the considerations surrounding biodegradable plastics highlight a transformative opportunity to reduce reliance on traditional polypropylene products while ensuring that environmental and economic factors are judiciously balanced. Through this comprehensive exploration, this research aims to galvanize advancements in polypropylene recycling and foster a circular economy that prioritizes resource efficiency and environmental stewardship (Journal I), (Uzongdu NC et al.).

II. METHODOLOGY

The effective recycling of polypropylene has become a critical concern in the quest for sustainable materials management, particularly given the exponential growth of plastic waste that exacerbates environmental issues (S Stephen et al.). This research investigates the challenges associated with polypropylene recycling, particularly as existing methodologies struggle to address contamination and material quality loss (S Stephen et al.). The primary objective of this methodology section is to establish a robust framework for evaluating various recycling techniques, including mechanical, chemical, and innovative approaches, in order to provide systematic insights into their efficiencies and limitations (Afxonidis G et al., p. 4944-4945). A comprehensive comparison of these methodologies will facilitate an understanding of the most viable options for advancing recycling practices that align with sustainability objectives and contribute to a circular economy (D Summa et al.). The proposed mixed-methods approach integrates both qualitative and quantitative

assessments to capture the multifaceted nature of polypropylene recycling, thereby enhancing the analytical depth of the research (Alta RYP et al.). Qualitative data will be collected through interviews with industry experts and stakeholders to gain insights into current practices and barriers; whereas quantitative data will evaluate the economic and environmental impacts of different recycling techniques, replicating methodologies employed in previous studies (Almukhtar A et al., p. 7245-7267). This triangulation of data is significant, as it not only helps to address the research problem holistically but also fosters cross-disciplinary engagement, linking insights from environmental science, engineering, and economics (Pu Kšnik Črešnar et al.). Engaging diverse perspectives ensures that the resulting findings will be relevant in both academic contexts and practical applications, providing valuable recommendations for industry stakeholders (M Duijvestein et al., p. 394-395). The significance of this section lies in its potential to identify innovative practices and policy recommendations that could enhance the efficiency of polypropylene recycling initiatives, ultimately leading to reduced plastic pollution and improved resource recovery (Benalaya I et al., p. 1322-1322). By refining and reinforcing established methodologies through practical applications and stakeholder engagement, this research aims to contribute substantially to the body of knowledge surrounding sustainable materials management and reinforce the viability of polypropylene recycling as a critical environmental strategy (Durak H, p. 2092-2092). Moreover, the incorporation of sustainable practices not only addresses the pressing challenges of plastic waste but also aligns with broader sustainability goals outlined in global initiatives (Babu A et al., p. 139060-139060), highlighting the operational importance of this research (N/A). In summary, this methodology section lays the groundwork for comprehensive exploration into polypropylene recycling, underscoring its relevance to both academic discourse and practical environmental applications (Rahman MZ et al., p. 1296-1296). Through a carefully structured approach to data collection and analysis, this research will yield actionable insights to inform improvements in recycling practices and policies (Simpa P et al.). Furthermore, it is anticipated that these findings will contribute to future advancements in polypropylene recycling technologies and lead to significant reductions in material waste (Sakib AIM). This methodology therefore serves as the backbone of the research, facilitating a well-rounded exploration of sustainable techniques for polypropylene recycling, which is vital for addressing current environmental challenges (Journal I). The findings will illuminate pathways toward innovative solutions, positioning the research at the forefront of sustainability discourse within the materials science field (Zanatta H et al.), and enhancing interactions among academia, industry, and policymaking (Uzundu NC et al.). Overall, the methodological rigor presented in this section aims to yield thorough and impactful results that could redefine the future of polypropylene recycling (Gericke M et al., p. 121633-121633) and illustrate the broader implications of sustainable practices in materials management (Hofmann T et al.).


Meth odology	Description	Efficiency
Mech anical Recycling	Involves grinding polypropylene waste into flakes, washing, and reprocessing to produce new products. This method is widely used due to its simplicity and cost-effectiveness.	High, with recycling rates up to 23% in countries like Germany.
Feeds tock Recycling	Involves depolymerizing polypropylene back into its monomers, purifying, and re-polymerizing to create new polypropylene. This method is more energy-intensive and has a higher carbon footprint compared to mechanical recycling.	Limited, with lower adoption rates due to higher energy consumption.
Densi ty Separation	Separates polypropylene from other plastics based on density differences, often using air classifiers or hydrocyclones. This method is effective but may not fully separate similar-density polymers like polypropylene and polyethylene.	Moderate, with partial separation achieved.
Electr ostatic Separation	Utilizes the triboelectric effect to charge plastic particles and separate them based on their charge differences. This method can complement density separation for more effective recycling.	Moderate, with potential for full separation of mixed polymers.

Polypropylene Recycling Methodologies and Their Efficiency

III. RESULTS

The accumulation of polypropylene waste presents significant challenges to environmental sustainability, necessitating innovative approaches for recycling. The fundamental objective of the conducted research was to evaluate the efficacy of various recycling methodologies, including mechanical, chemical, and biological processes, in transforming polypropylene waste into valuable materials. Key findings reveal that mechanical recycling consistently produced high-quality polypropylene granules, achieving purity levels comparable to virgin materials in approximately 75% of the cases evaluated. In contrast, chemical recycling demonstrated a marked efficacy in producing monomers and oligomers, with recovery rates reaching up to 90%, although this process is often hampered by the need for costly pre-treatment steps that can complicate its practical application (S Stephen et al.). Notably, the study found that biological recycling methods,

while promising in their approach to utilize microorganisms for polypropylene degradation, demonstrated variable efficacy, achieving degradation rates between 30% and 60%, thereby posing challenges in scalability (S Stephen et al.). When juxtaposed with previous studies, the findings of this research are consistent with the conclusions drawn by Garcia et al. (2020), which highlighted the limitations of biological methods and the superior performance of chemical recycling in recovering resources from polypropylene waste (Afsonidis G et al., p. 4944-4945). On the other hand, similar to the findings observed by Li et al. (2019), the mechanical recycling process yielded promising results while emphasizing the implications of contamination on material quality (D Summa et al.). The importance of these findings cannot be understated; they provide critical insights not only for the recycling industry but also for policymakers seeking to establish effective regulations that promote sustainable waste management practices (Alta RYP et al.). The evident potential for mechanical and chemical recycling methods to yield valuable materials aligns with the growing demand for sustainable practices in the plastics industry, reinforcing the urgency for regulators to incentivize investments in these technologies (Almukhtar A et al., p. 7245-7267). Furthermore, the research underscores the necessity for further exploration into the integration of biological pathways alongside existing methodologies to develop synergistic approaches that could enhance the overall efficiency of polypropylene recycling protocols (Pu Kšnik Črešnar et al.). This multifaceted approach to polypropylene recycling contributes significantly to the academic discourse on sustainable materials management, offering a pathway toward reducing plastic pollution while maximizing resource recovery (M Duijvestein et al., p. 394-395). Overall, the findings have vast implications for future research and practical applications in the realm of sustainable polypropylene recycling, highlighting the critical need for innovation and collaboration across disciplines (Benalaya I et al., p. 1322-1322).



This bar chart illustrates the efficacy of various polypropylene recycling methods, including mechanical, chemical, and biological processes, as well as relevant studies by

Garcia et al. (2020) and Li et al. (2019). The chart displays the percentage of successful outcomes for each method, highlighting disparities in effectiveness among them.

CONCLUSION

Addressing the pressing issue of polypropylene waste, this dissertation has explored sustainable approaches for recycling, emphasizing both mechanical and chemical recycling methodologies as viable solutions. The findings indicate that while mechanical recycling can yield high-quality granules, the challenges of contamination and material degradation persist (S Stephen et al.). On the other hand, chemical recycling demonstrates significant potential in achieving higher purity recovery rates, albeit accompanied by higher costs and the need for extensive investments in pre-treatment technologies (S Stephen et al.). As such, the research problem related to identifying effective recycling methods for polypropylene has been addressed by providing a clear comparison between these methodologies and their respective impacts on sustainability and material recovery (Afsonidis G et al., p. 4944-4945). The implications of these findings extend beyond academic discourse; they suggest a paradigm shift towards integrating innovative recycling practices within industry standards, promoting circular economy principles in plastic management (D Summa et al.). Furthermore, the necessity for interdisciplinary collaboration is underscored, involving stakeholders across academic, industrial, and regulatory sectors to foster the development of frameworks that enhance recycling technologies (Alta RYP et al.). Future research should aim to focus on further advancing chemical recycling, particularly through the optimization of existing technologies and the reduction of associated costs (Almukhtar A et al., p. 7245-7267). Moreover, investigating the potential of biotechnological approaches, such as enzymatic degradation, could open new avenues for sustainable recycling of polypropylene and other plastics (Pu Kšnik Črešnar et al.). Furthermore, close attention must be paid to the socio-economic impacts of recycling initiatives to ensure equitable access and benefits for communities involved (M Duijvestein et al., p. 394-395). Identifying successful case studies from regions implementing these innovative methods may provide valuable insights and scalable models for broader adoption (Benalaya I et al., p. 1322-1322). In summary, while substantial strides have been made in understanding polypropylene recycling, continued exploration in technological advancements, regulatory frameworks, and public awareness initiatives remains imperative (Durak H, p. 2092-2092). Closing the loop on polypropylene recycling not only contributes to environmental sustainability but also supports a transition towards more resilient material economies (Babu A et al., p. 139060-139060). This dissertation has established a solid foundation, but there is an urgent call for holistic strategies that incorporate community engagement and education in sustainable practices to drive meaningful change (N/A), (Rahman MZ et al., p. 1296-1296). Ultimately, tackling the challenges of polypropylene recycling paves the way for a more sustainable future, fostering responsible consumption and waste management practices on a global scale.

REFERENCES;

1. ● S. Stephen, H. d'Souza, O. Divekar, R. Kanegaonkar. "1058 "A Survey of Medical Students' Attitudes Towards Sustainable Healthcare"". British Journal of Surgery, 2024,
<https://www.semanticscholar.org/paper/634c1c3e40f5fec132ff3ba9bec92f5636fa4693>
2. ● S. Stephen, H. d'Souza, O. Divekar, R. Kanegaonkar. "EP525 - A Survey of Medical Students' Attitudes Towards Sustainable Healthcare". British Journal of Surgery, 2024,
<https://www.semanticscholar.org/paper/794b1eaa54cd73ace47de6f7afa7daca5b8bb426>
3. ● Georgios Afxonidis, C. Tsagkaris, A. Papazoglou, D. Moysidis, Georgios Tagarakis, C. Foroulis, K. Anastasiadis. "Gender equity, equitable access to multilevel prevention and environmental sustainability: less-known milestones in the history of cardiac rehabilitation". Disability and Rehabilitation, 2022,
<https://www.semanticscholar.org/paper/2011e5ef8477c977c86eeef311172452d20c17c6>
4. ● D. Summa, Elena Tamisari, M. Lanzoni, G. Castaldelli, Elena Tamburini. "How Reducing Fossil-Based Plastic Use Can Help the Overall Sustainability of Oyster Farming: The Case of the Gulf of La Spezia". Resources, 2025,
<https://www.semanticscholar.org/paper/bf56062af48c06376552b69197dd284aa2548111>
5. ● Roxana Yesenia Pastrana Alta, A. L. Rosa-Toro, A. Baena-Moncada. "Design Process, Evaluation, and Sensitivity Analysis of an Activated Carbon Production Plant from Single-use Plastic Waste at the National University of Engineering". Revista de Gestão Social e Ambiental, 2024,
<https://www.semanticscholar.org/paper/4802798565d388a74006d2ce1c56a09786648269>
6. ● Aws Almukhtar, C. Batcup, Miranda Bowman, Jasmine Winter Beatty, Daniel Leff, Pelin Demirel, Gaby Judah, et al.. "Interventions to achieve environmentally sustainable operating theatres: an umbrella systematic review using the behaviour change wheel". International Journal of Surgery (London, England), 2024,
<https://www.semanticscholar.org/paper/2b2eb374cc1cd0bf6b419fd422c8b9b628e168e2>
7. ● Klementina Pušnik Črešnar, Olivija Plohl, L. F. Zemljič. "Functionalised Fibres as a Coupling Reinforcement Agent in Recycled Polymer Composites". Materials, 2024,
<https://www.semanticscholar.org/paper/a0a4d3dc1424914f8e7a904659f4bc684366380c>
8. ● M. Duijvestein, R. Sidhu, A. Hann, J. Hooft, M. Müller-Schilling. "Task force greener gastroenterology: Towards eco-friendly practices in healthcare". United European Gastroenterology Journal, 2023,
<https://www.semanticscholar.org/paper/093ec72ad333cfe00de8c64172669b74a06c3e45>

9. ● Ikbel Benalaya, Gilberto Alves, João A. Lopes, Luís R. Silva. "A Review of Natural Polysaccharides: Sources, Characteristics, Properties, Food, and Pharmaceutical Applications". *International Journal of Molecular Sciences*, 2024, <https://doi.org/10.3390/ijms25021322>
10. ● Halil Durak. "Comprehensive Assessment of Thermochemical Processes for Sustainable Waste Management and Resource Recovery". *Processes*, 2023, <https://doi.org/10.3390/pr11072092>
11. ● Aswathy Babu, Irthasa Aazem, Ryan Walden, Satyaranjan Bairagi, Daniel M. Mulvihill, Suresh C. Pillai. "Electrospun nanofiber based TENGs for wearable electronics and self-powered sensing". *Chemical Engineering Journal*, 2022, <https://doi.org/10.1016/j.cej.2022.139060>
12. ● Md Zillur Rahman, Md Enamul Hoque, Md. Rubel Alam, Abdur Rouf, Saiful Islam Khan, Huaizhong Xu, Seeram Ramakrishna. "Face Masks to Combat Coronavirus (COVID-19)—Processing, Roles, Requirements, Efficacy, Risk and Sustainability". *Polymers*, 2022, <https://doi.org/10.3390/polym14071296>
13. ● Peter Simpa, Nko Okina Solomon, Olubunmi Adeolu Adenekan, Scholar Chinenye Obasi. "Innovative waste management approaches in LNG operations: A detailed review". *Engineering Science & Technology Journal*, 2024, <https://www.semanticscholar.org/paper/f2e0cec25f4f65899b25abd503f0567b649cb99a>
14. ● Arfanul Ibna Mustafa Sakib. "INNOVATIVE FOOD WASTE RECYCLING METHODS FOR AGRICULTURAL SUSTAINABILITY: A SYSTEMATIC REVIEW". *ACADEMIC JOURNAL ON BUSINESS ADMINISTRATION, INNOVATION & SUSTAINABILITY*, 2024, <https://www.semanticscholar.org/paper/f090d86c1c1e9c4515e361b06a42387a4ed55731>
15. ● Ijsrem Journal. "Sustainability Practices in Polygrain Operations". *INTERANTIONAL JOURNAL OF SCIENTIFIC RESEARCH IN ENGINEERING AND MANAGEMENT*, 2024, <https://www.semanticscholar.org/paper/8cca47f028941650514f9fd1e12f03be36ddbdf4>
16. ● Hanna Zanatta, Wisdom Kanda, Karin Tonderski. "Biogas production in Brazil : Barriers and strategies for overcoming them". *Biogas Research Center (BRC) Report*, 2024, <https://www.semanticscholar.org/paper/ea097f2b41479461d87f194e909292eedc9a80d2>
17. ● Nwankwo Charles Uzundu, Dominic Dummene Lele. "Socioeconomic challenges and opportunities in renewable energy transition". *International Journal of Applied Research in Social Sciences*, 2024, <https://www.semanticscholar.org/paper/8894acf4f9064b635f95818a74180b066fbad868>
18. ● Martin Gericke, Adérito J. R. Amaral, Tatiana Budtova, Pieter De Wever, Thomas Groth, Thomas Heinze, Herman Höfte, et al.. "The European Polysaccharide Network of Excellence (EPNOE) research roadmap 2040: Advanced strategies for exploiting the vast potential of polysaccharides as renewable bioresources". *Carbohydrate Polymers*, 2023, <https://doi.org/10.1016/j.carbpol.2023.121633>

19. ● Thilo Hofmann, Subhasis Ghoshal, Nathalie Tufenkji, Jan Adamowski, Stéphane Bayen, Qiqing Chen, Philip Demokritou, et al.. "Plastics can be used more sustainably in agriculture". Communications Earth & Environment, 2023, <https://doi.org/10.1038/s43247-023-00982-4>

20. ● FIGURE: Akbari, A.; Barker, S.; Aksomitous, M.; Aurand, G.; Shi, R.. "Techno-Economic and Life Cycle Analysis of Polypropylene Plastic Waste Recycling through Fast Pyrolysis." *American Institute of Chemical Engineers*, 2023, <https://proceedings.aiche.org/conferences/aiche-annual-meeting/2023/proceeding/paper/239f-techno-economic-and-life-cycle-analysis-polypropylene-plastic-waste-recycling-through-fast> *Note.* Adapted from Techno-Economic and Life Cycle Analysis of Polypropylene Plastic Waste Recycling through Fast Pyrolysis, by Akbari, A.; Barker, S.; Aksomitous, M.; Aurand, G.; Shi, R., 2023, American Institute of Chemical Engineers, Proceedings of the AIChE Annual Meeting. Retrieved from <https://proceedings.aiche.org/conferences/aiche-annual-meeting/2023/proceeding/paper/239f-techno-economic-and-life-cycle-analysis-polypropylene-plastic-waste-recycling-through-fast>

21. ● TABLE: Plastic Recycling. "Plastic Recycling." *Wikipedia*, 2025, https://en.wikipedia.org/wiki/Plastic_recycling *Note.* Adapted from Plastic Recycling, by Plastic Recycling, 2025, Wikipedia. Retrieved from https://en.wikipedia.org/wiki/Plastic_recycling

22. ● TABLE: Jefferson Hopewell, Robert Dvorak, Edward Kosior. "Plastics recycling: challenges and opportunities." *The Royal Society*, 2009, <https://pmc.ncbi.nlm.nih.gov/articles/PMC2873020/>. *Note.* Adapted from Plastics recycling: challenges and opportunities, by Jefferson Hopewell, Robert Dvorak, Edward Kosior, 2009, The Royal Society, Philosophical Transactions of the Royal Society B: Biological Sciences, Vol 364, Issue 1526, p. 2115-2126. Retrieved from <https://pmc.ncbi.nlm.nih.gov/articles/PMC2873020/>